

### **ATTACHMENT 3: LABORATORY ANALYTICAL REPORTS (SUMMARY SHEETS)**

---

This attachment contains the summary sheets from the laboratory analytical reports prepared by Applied Physics and Chemistry Laboratory (APCL) in Chino, California. Complete analytical reports are available upon request.

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:

Battelle - Columbus Operations

Attention: David Conner

3990 Old Town Ave., Ste C102.

San Diego CA 92110

Tel: (619)574-4821 Fax: (619)260-0882

Service ID #: 801-053443

Collected by: M. Mendoza

Collected on: 07/19/05

Received: 07/19/05

Extracted: N/A

Tested: 07/20/05

Reported: 07/20/05

Sample Description: Water from 4800 Oak Grove.

Project Description: G486090 JPL GW Mon-3Q05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-25-1 05-03443-1	MW-25-3 05-03443-2	MW-25-4 05-03443-3
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	$\mu\text{g/L}$	4	11.7	14.3	10.0

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau

Laboratory Director

Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:

Battelle - Columbus Operations

Attention: David Conner

3990 Old Town Ave., Suite C-205

San Diego CA 92110

Tel: (619) 574-4827 Fax: (619) 260-0882

Service ID #: 801-053444

Collected by: M. Mendoza

Collected on: 07/19/05

Received: 07/19/05

Extracted: N/A

Tested: 07/20-25/05

Reported: 07/27/05

Sample Description: Water from 4800 Oak Grove Dr.

Project Description: G486090 JPL GW Mon-3Q05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-1-7/19/05 05-03444-1	MW-25-2 05-03444-3	MW-25-5 05-03444-6
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	< 4	17.4	< 4

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-1-7/19/05 05-03444-1	MW-25-1 05-03444-2	MW-25-2 05-03444-3
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01
Dilution Factor				1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	0.15J	6.9	5.2
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	524.2	µg/L	10	< 10	< 10	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-1-7/19/05	MW-25-1	MW-25-2
				05-03444-1	05-03444-2	05-03444-3
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	< 1	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	< 10	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2,2,3,3,3-HEPTACHLORO-1,1,2,2,3,3,3-TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-25-3	MW-25-4	MW-25-5	TB-1-7/19/05
				05-03444-4	05-03444-5	05-03444-6	05-03444-7
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01	-
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	8.5	9.1	6.4	-
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	0.6	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-25-3	MW-25-4	MW-25-5	TB-1-7/19/05
				05-03444-4	05-03444-5	05-03444-6	05-03444-7
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau

Laboratory Director

Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

1

Submitted to:

Battelle - Columbus Operations

Attention: David Conner

3990 Old Town Ave, Suite C102.

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

Service ID #: 801-053455

Collected by: M.Mendoza

Collected on: 07/20/05

Received: 07/20/05

Extracted: N/A

Tested: 07/20/05

Reported: 07/21/05

Sample Description: Water

Project Description: G486090 JPL GW Mon-3Q05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result
				MW-19-2 05-03455-1
Dilution Factor				1
<b>PERCHLORATE</b>	314.0	$\mu\text{g/L}$	4	6.7

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau  
Laboratory Director

Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Submitted to:

Battelle - Columbus Operations

Attention: David Conner

3990 Old Town Ave., Suite C-205.

San Diego CA 92110

Tel: (619) 574-4827 Fax: (619) 260-0882

Service ID #: 801-053456

Collected by: M.Mendoza

Collected on: 07/20/05

Received: 07/20/05

Extracted: N/A

Tested: 07/21/05

Reported: 07/28/05

Sample Description: Water

Project Description: G486090 JPL GW Mon-3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				EB-2-7/20/05 05-03456-1	MW-19-1 05-03456-2
Dilution Factor				1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	< 4	< 4

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-19-3 05-03456-4	MW-19-4 05-03456-5	MW-19-5 05-03456-6
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	3.2J	3.0J	2.7J

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-2-7/20/05 05-03456-1	MW-19-1 05-03456-2	MW-19-2 05-03456-3
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	0.6	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.4J
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5



## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-2-7/20/05	MW-19-1	MW-19-2
				05-03456-1	05-03456-2	05-03456-3
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	0.6J	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	< 10	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	0.4J

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-19-3	MW-19-4	MW-19-5	TB-2-7/20/05
				05-03456-4	05-03456-5	05-03456-6	05-03456-7
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	0.4J	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	0.4J	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-19-3	MW-19-4	MW-19-5	TB-2-7/20/05
				05-03456-4	05-03456-5	05-03456-6	05-03456-7
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	0.5J	1.7	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2,2-TRICHLORO-1,1,2,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	0.8	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau

Laboratory Director

Applied P &amp; CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Battelle - Columbus Operations

Attention: David Conner

3990 Old Town Ave, Suite C-205.

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

# APCL Analytical Report

Service ID #: 801-053472

Collected by: M.Mendoza

Collected on: 07/21/05

Received: 07/21/05

Extracted: 07/27/05

Tested: 07/22-28/05

Reported: 08/01/05

Sample Description: Water

Project Description: G486090 JPL GW Mon-3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				EB-3-7/21/05 05-03472-1	MW-18-2 05-03472-3	MW-18-3 05-03472-4	MW-18-4 05-03472-5
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	< 4	< 4	5.7	10.2
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	0.16J	7.7	11.8	7.0

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-18-5 05-03472-6	
Dilution Factor				1	
<b>PERCHLORATE</b>	314.0	µg/L	4	< 4	

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-3-7/21/05 05-03472-1	MW-18-1 05-03472-2	MW-18-2 05-03472-3
Dilution Factor				1	1	1
<b>1,2,3-TRICHLOROPROPANE</b>	504.1	µg/L	0.005	< 0.005	< 0.005	< 0.005
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	-	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
2-BUTANONE	524.2	µg/L	10	< 10	-	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	-	< 0.5
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	-	< 0.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-3-7/21/05 05-03472-1	MW-18-1 05-03472-2	MW-18-2 05-03472-3
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	-	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	-	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	-	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	-	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	-	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	-	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	-	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	-	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	-	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	-	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	-	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	-	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	-	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	-	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	-	0.3J

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-18-3 05-03472-4	MW-18-4 05-03472-5	MW-18-5 05-03472-6	TB-3-7/21/05 05-03472-7
Dilution Factor				1	1	1	1
1,2,3-TRICHLOROPROPANE	504.1	µg/L	0.005	<0.005	0.037	<0.005	-
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	1.2	1.7	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	0.9	0.9	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-18-3	MW-18-4	MW-18-5	TB-3-7/21/05
				05-03472-4	05-03472-5	05-03472-6	05-03472-7
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	0.4J	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	0.3J	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2,3,3,3-HEPTACHLORO-1,1,2,2,3,3,3-HEPTACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	0.4J	<0.5	0.4J	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

  
 Dominic Lau  
 Laboratory Director  
 Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Submitted to:

Battelle - Columbus Operations

Attention: David Conner

3990 Old Town Ave., Ste C102

San Diego CA 92110

Tel: (619) 574-4482 Fax: (619) 260-0882

Service ID #: 801-053510

Received: 07/25/05

Collected by: M. Mendoza

Extracted: N/A

Collected on: 07/25/05

Tested: 07/26/05

Reported: 07/27/05

Sample Description: Water from 4800 Oak Grove Dr.

Project Description: G486090 JPL GW Mon-3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				DUPE-1-3Q05 05-03510-1	MW-24-1 05-03510-2	MW-24-2 05-03510-3
Dilution Factor				10	10	1
<b>PERCHLORATE</b>	314.0	µg/L	4	670	683	79.1

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau

Laboratory Director

Applied P & CH Laboratories



# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Submitted to:

Battelle - Columbus Operations

Attention: David Conner

3990 Old Town Avenue, Suite C-205.

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

Service ID #: 801-053511

Collected by: MM

Collected on: 07/25/05

Sample Description: Water

Project Description: G486090 JPL GW Mon-3Q05

Received: 07/25/05

Extracted: N/A

Tested: 07/25-29/05

Reported: 08/01/05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-24-1	
				05-03511-2	
Dilution Factor				10	
CHLORIDE	300.0	mg/L	0.2	28.2	
NITRATE AS N	300.0	mg/L	0.04	1.7	
NITRITE AS N	300.0	mg/L	0.05	<0.5	
ORTHOPHOSPHATE AS P	300.0	mg/L	0.1	<1	
SULFATE SO <sub>4</sub> <sup>2-</sup>	300.0	mg/L	0.5	40.7	

Component Analyzed	Method	Unit	PQL	Analysis Result	
				EB-4-7/25/05	MW-24-3
				05-03511-1	05-03511-4
Dilution Factor				1	1
PERCHLORATE	314.0	µg/L	4	<4	<4

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-4-7/25/05	MW-24-1	MW-24-2
				05-03511-1	05-03511-2	05-03511-3
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	1	0.36J	9.8	7.9

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-4-7/25/05	MW-24-1	MW-24-2
				05-03511-1	05-03511-2	05-03511-3
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	524.2	µg/L	10	< 10	< 10	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	0.9	0.5J
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	1	0.4J
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-4-7/25/05	MW-24-1	MW-24-2
				05-03511-1	05-03511-2	05-03511-3
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	0.5J	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-24-3	MW-24-4	TB-4-7/25/05
				05-03511-4	05-03511-5	05-03511-6
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	-
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	1	6.4	5.0	-

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-24-3 05-03511-4	MW-24-4 05-03511-5	TB-4-7/25/05 05-03511-6
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	-	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
2-BUTANONE	524.2	µg/L	10	<10	-	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	-	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	-	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	-	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	-	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	-	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	-	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	-	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	-	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	-	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	-	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-24-3	MW-24-4	TB-4-7/25/05
				05-03511-4	05-03511-5	05-03511-6
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	< 0.5	-	< 0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	-	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	-	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	-	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	-	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	-	< 0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

  
Dominic Lau  
Laboratory Director  
Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:  
Battelle  
Attention: David Conner  
3990 Old Town Ave., Suite C-205.  
San Diego CA 92110  
Tel: (619)574-4827 Fax: (619)260-0882

Service ID #: 801-053529  
Collected by: M. Mendoza  
Collected on: 07/26/05  
Sample Description: Water  
Project Description: G486090 JPL GW Mon-3Q05  
Received: 07/26/05  
Extracted: N/A  
Tested: 07/26-29/05  
Reported: 08/11/05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-2-3Q05	EB-5-7/26/05	MW-21-1	MW-21-2
				05-03529-1	05-03529-2	05-03529-3	05-03529-4
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	-	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	3.2J	<4	3.6J	3.2J
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	-	0.36J	7.9	11.3
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	-	<0.5	0.4J	<0.5
BROMOFORM	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	-	<10	<10	<10
N-BUTYLBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	-	<0.5	0.5	0.5J
CHLOROMETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	-	<0.5	0.5J	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	-	<0.5	<0.5	0.4J

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-2-3Q05	EB-5-7/26/05	MW-21-1	MW-21-2
				05-03529-1	05-03529-2	05-03529-3	05-03529-4
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	-	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	-	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	-	<0.5	<0.5	2.6
TOLUENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	-	<0.5	0.8	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	-	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-21-3 05-03529-5	MW-21-4 05-03529-6	MW-21-5 05-03529-7	TB-5-7/26/05 05-03529-8
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01	-
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	3.0J	2.0J	3.3J	-
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	12.9	9.4	9.2	-
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	0.4J	0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	1.1	2.7	3.6	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	0.8	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5



## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-21-3 05-03529-5	MW-21-4 05-03529-6	MW-21-5 05-03529-7	TB-5-7/26/05 05-03529-8
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	3.1	2.6	4.2	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	0.9	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	0.4J	<0.5	0.3J	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau

Laboratory Director

Applied P &amp; CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave, Ste C-102.

San Diego CA 92110

Tel: (619) 574-4821 Fax: (619) 260-0882

# APCL Analytical Report

Service ID #: 801-053541

Collected by: M. Mendoza

Collected on: 07/27/05

Received: 07/27/05

Extracted: 07/28/05

Tested: 07/27-29/05

Reported: 08/09/05

Sample Description: Water from 4800 Oak Grove Dr.

Project Description: G486090 JPL GW Mon-3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				EB-6-7/27/05	MW-3-2	MW-3-3	MW-3-4
				05-03541-1	05-03541-3	05-03541-4	05-03541-5
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	<4	32.2	<4	<4
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	0.24J	9.8	6.9	6.9
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				EB-6-7/27/05	MW-3-2	MW-3-3	MW-3-4
				05-03541-1	05-03541-3	05-03541-4	05-03541-5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	0.4J	0.4J	0.6
Dilution Factor				1	1	1	1
N-NITROSODIMETHYLAMINE (NDMA)	GCMS/MS,1625	µg/L	0.002	-	0.0076	<0.002	0.002J

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result
				TB-6-7/27/05
				05-03541-7
VOLATILE ORGANIC COMPOUNDS				
Dilution Factor				1
BENZENE	524.2	µg/L	0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5
2-BUTANONE	524.2	µg/L	10	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result	
				TB-6-7/27/05	05-03541-7
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	
NAPHTHALENE	524.2	µg/L	0.5	<0.5	
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	
STYRENE	524.2	µg/L	0.5	<0.5	
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	
TOLUENE	524.2	µg/L	0.5	<0.5	
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	
1,1,2,2,3,3-HEXACHLOROETHANE	524.2	µg/L	0.5	<0.5	
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	
O-XYLENE	524.2	µg/L	0.5	<0.5	
M/P-XYLENE	524.2	µg/L	0.5	<0.5	

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-3-1 05-03541-2	MW-3-5 05-03541-6
Dilution Factor				1	1
N-NITROSODIMETHYLAMINE (NDMA)	GCMS/MS,1625	µg/L	0.002	0.0005J	<0.002

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

  
 Dominic Lau  
 Laboratory Director  
 Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave, Suite C-205.

San Diego CA 92110

Tel: (619)574-4827 Fax: (619)260-0882

Service ID #: 801-053553

Collected by: MM

Collected on: 07/28/05

Sample Description: Water

Project Description: G486090 JPL GW Mon-3Q05

Received: 07/28/05

Extracted: 07/29/05

Tested: 07/28-08/09/05

Reported: 08/11/05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-7-7/28/05	MW-12-1	MW-12-2
				05-03553-1	05-03553-2	05-03553-3
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	<4	<4	2.3J
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	0.6
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-7-7/28/05	MW-12-1	MW-12-2
				05-03553-1	05-03553-2	05-03553-3
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	2.0	1.2	1.4
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	< 1	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	< 10	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TRICHLORO-1,2,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-12-3 05-03553-4	MW-12-4 05-03553-5	MW-12-5 05-03553-6	TB-7-7/28/05 05-03553-7
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	2.9J	3.6J	2.6J	-
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	2.0	2.1	1.2	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	0.8	0.5J	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5



## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-12-3	MW-12-4	MW-12-5	TB-7-7/28/05
				05-03553-4	05-03553-5	05-03553-6	05-03553-7
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.3	1.3	1.4	1.4
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				EB-7-7/28/05	MW-12-1	MW-12-2	MW-12-3
				05-03553-1	05-03553-2	05-03553-3	05-03553-4
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	0.48J	10.1	10.2	6.7
Dilution Factor				1	1	1	1
<b>1,2,3-TRICHLOROPROPANE</b>	504.1	µg/L	0.005	-	<0.005	<0.005	0.018

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-12-4 05-03553-5	MW-12-5 05-03553-6
Dilution Factor				1	1
1,2,3-TRICHLOROPROPANE	504.1	$\mu\text{g/L}$	0.005	0.023	0.014


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau  
Laboratory Director  
Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:  
Battelle  
Attention: David Conner  
3990 Old Town Ave., Suite C-205.  
San Diego CA 92110  
Tel: (619)574-4827 Fax: (619)260-0882

Service ID #: 801-053591  
Collected by: MM  
Collected on: 08/01/05  
Sample Description: Water  
Project Description: G486090 JPL GW Mon-3Q05  
Received: 08/01/05  
Extracted: N/A  
Tested: 08/01-09/05  
Reported: 08/11/05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-8-8/1/05 05-03591-1	MW-20-1 05-03591-2	MW-20-2 05-03591-3
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	<4	2.2J	<4
Dilution Factor				1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	0.64J	7.0	6.3
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	5J	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-8-8/1/05	MW-20-1	MW-20-2
				05-03591-1	05-03591-2	05-03591-3
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.8	1.3	1.3
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	0.5J

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-20-3 05-03591-4	MW-20-4 05-03591-5	MW-20-5 05-03591-6	TB-8-8/1/05 05-03591-7
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01	-
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	<4	<4	<4	-
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	11.6	5.8	4.7	-
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-20-3 05-03591-4	MW-20-4 05-03591-5	MW-20-5 05-03591-6	TB-8-8/1/05 05-03591-7
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.3	1.3	1.3	1.3
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

“-”: Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Doranne Lau

Laboratory Director

Applied P &amp; CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave, Suite C-205

San Diego CA 92110

Tel: (619)726-0821 Fax: (619)260-0882

Service ID #: 801-053600

Collected by: MM

Collected on: 08/02/05

Received: 08/02/05

Extracted: N/A

Tested: 08/02-09/05

Reported: 08/11/05

Sample Description: Water

Project Description: G486090 JPL GW Mon-3Q05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result
				MW-11-1 05-03600-7
ALKALINITY	310.1	mg/L	2	206
BICARBONATE	SM2320B	mg/L	2	206
CARBONATE	SM2320B	mg/L	2	<2
PH	9040	pH unit	0.01	7.61
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	344
Dilution Factor				4
CHLORIDE	300.0	mg/L	0.2	24.7
NITRATE N	300.0	mg/L	0.04	1.2
SULFATE	300.0	mg/L	0.5	51.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-3-3Q05 05-03600-1	DUPE-4-3Q05 05-03600-2	EB-9-8/2/05 05-03600-3	MW-4-1 05-03600-4
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	5.7	<4	<4	<4
Dilution Factor				1	1	1	1
CHROMIUM	200.8	µg/L	1	11.7	7.8	1.5	4.9
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-3-3Q05 05-03600-1	DUPE-4-3Q05 05-03600-2	EB-9-8/2/05 05-03600-3	MW-4-1 05-03600-4
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2	1.4	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	< 1	< 1	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	< 10	< 10	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	0.4J	< 0.5	< 0.5	< 0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5



## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-4-2	MW-4-3	MW-11-1	MW-11-2
				05-03600-5	05-03600-6	05-03600-7	05-03600-8
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	6.1	<4	<4	<4
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	9.0	0.67J	6.7	6.9
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-4-2	MW-4-3	MW-11-1	MW-11-2
				05-03600-5	05-03600-6	05-03600-7	05-03600-8
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	1.9	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2	1.2	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	0.4J	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	0.4J	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	0.6	0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-11-3	MW-11-4	TB-9-8/2/05
				05-03600-9	05-03600-10	05-03600-11
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	-
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	-
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	1	5.0	2.7	-

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-11-3 05-03600-9	MW-11-4 05-03600-10	TB-9-8/2/05 05-03600-11
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	524.2	µg/L	10	< 10	< 10	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-11-3	MW-11-4	TB-9-8/2/05
				05-03600-9	05-03600-10	05-03600-11
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	0.6	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

  
Dominic Lau

Laboratory Director

Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave., Ste C-102.

San Diego CA 92110

Tel: (619) 574-4821 Fax: (619) 260-0882

Service ID #: 801-053618

Collected by: MM

Collected on: 08/03/05

Received: 08/03/05

Extracted: N/A

Tested: 08/03-12/05

Reported: 08/15/05

Sample Description: Water from 4800 Oak Grove Dr.

Project Description: G486090 JPL GW Mon-3Q05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-5-3Q05	EB-10-8/3/05	MW-14-1	MW-14-2
				05-03618-1	05-03618-2	05-03618-3	05-03618-4
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	1.6J	<4	1.9J	3.4J
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-5-3Q05	EB-10-8/3/05	MW-14-1	MW-14-2
				05-03618-1	05-03618-2	05-03618-3	05-03618-4
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	2.1
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2	1.2	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	< 1	< 1	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	< 10	< 10	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	4.0
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TRICHLORO-1,1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-14-3 05-03618-5	MW-14-4 05-03618-6	MW-14-5 05-03618-7	MW-22-1 05-03618-8
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	4.9	3.1J	<4	2.3J
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	0.3J	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-14-3	MW-14-4	MW-14-5	MW-22-1
				05-03618-5	05-03618-6	05-03618-7	05-03618-8
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2	1.2	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	1	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2,3,3,3-HEPTACHLORO-1,1,2,2,3,3,3-HEPTACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-22-2	MW-22-3	TB-10-8/3/05
				05-03618-9	05-03618-10	05-03618-11
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	2.0J	2.2J	-



## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-22-2 05-03618-9	MW-22-3 05-03618-10	TB-10-8/3/05 05-03618-11
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-22-2	MW-22-3	TB-10-8/3/05
				05-03618-9	05-03618-10	05-03618-11
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLORO-1,2-DIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-5-3Q05	EB-10-8/3/05	MW-14-1	MW-14-2
				05-03618-1	05-03618-2	05-03618-3	05-03618-4
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	7.7	1.5	11.5	10.4

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-14-3 05-03618-5	MW-22-1 05-03618-8	MW-22-2 05-03618-9	MW-22-3 05-03618-10
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	8.6	9.6	7.2	8.2

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau

Laboratory Director

Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave., Ste C102.

San Diego CA 92110

Tel: (619)574-4821 Fax: (619)260-0882

Service ID #: 801-053638

Collected by:

Collected on: 08/04/05

Received: 08/04/05

Extracted: N/A

Tested: 08/04-10/05

Reported: 08/15/05

Sample Description: Water from 4800 Oak Grove Dr.

Project Description: G486090 JPL GW Mon-3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				DUPE-6-3Q05 05-03638-1	EB-11-8/4/05 05-03638-2	MW-23-1 05-03638-3
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	<4	<4	2.6J
Dilution Factor				1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	15.0	2.0	0.91J
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	0.3J
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				DUPE-6-3Q05	EB-11-8/4/05	MW-23-1
				05-03638-1	05-03638-2	05-03638-3
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.4	1.3	1.3
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.8
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-23-2 05-03638-4	MW-23-3 05-03638-5	MW-23-4 05-03638-6
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	2.9J	0.89J	-
Dilution Factor				1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	10.7	10.6	8.4
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	-
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
2-BUTANONE	524.2	µg/L	10	<10	<10	-
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	-
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	-
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	-
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	-
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	-
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	-
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	-
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	-
1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	-

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-23-2 05-03638-4	MW-23-3 05-03638-5	MW-23-4 05-03638-6
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	-
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	-
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	-
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	-
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	-
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	-
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.3	1.3	-
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	-
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	-
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	-
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	-
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	-
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	-
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	-
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	-
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	-

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-26-1 05-03638-7	MW-26-2 05-03638-8	TB-11-8/4/05 05-03638-9
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	-
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	<4	<4	-
Dilution Factor				1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	13.2	12.7	-

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-26-1 05-03638-7	MW-26-2 05-03638-8	TB-11-8/4/05 05-03638-9
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5



## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-26-1	MW-26-2	TB-11-8/4/05
				05-03638-7	05-03638-8	05-03638-9
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.4	1.4	1.4
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

  
 Dominic Lau  
 Laboratory Director  
 Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Battelle

Attention: David Conner

3990 old Town Avenue, Suite C-205

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

## APCL Analytical Report

Service ID #: 801-053685

Collected by: MM

Collected on: 08/09/05

Received: 08/09/05

Extracted: N/A

Tested: 08/09-22/05

Reported: 08/26/05

Sample Description: Water from 4800 Oak Grove Dr., Pasadena.

Project Description: G486090 JPL GW Mon-3Q05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-7 05-03685-1	MW-13 05-03685-2
ALKALINITY	310.1	mg/L	2	168	138
BICARBONATE	310.1	mg/L	2	168	138
CARBONATE	310.1	mg/L	2	<2	<2
PH	150.1	pH unit	0.01	7.26	7.13
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	0.024
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	327	434
Dilution Factor				1	10
PERCHLORATE	314.0	µg/L	4	87.1	402
Dilution Factor				5	8
CHLORIDE	300.0	mg/L	0.2	29.7	39.7
NITRATE AS N	300.0	mg/L	0.04	1.2	8.7
SULFATE	300.0	mg/L	0.5	46.7	78.2
Dilution Factor				1	1
CHROMIUM	200.8	µg/L	1	9.1	31.7

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-7 05-03685-1	MW-13 05-03685-2	TB-12-8/9/05 05-03685-3
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	0.5J	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	0.7	1.4	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	0.3J	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	4.1	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-7 05-03685-1	MW-13 05-03685-2	TB-12-8/9/05 05-03685-3
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.1	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	14.1	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	1.3	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUORO	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

“-”: Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,  


Dominic Lau  
 Laboratory Director  
 Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Battelle

Attention: David Coner

3990 Old Town Avenue, Suite C-205

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

# APCL Analytical Report

Service ID #: 801-053697

Collected by:

Collected on: 08/10/05

Received: 08/10/05

Extracted: N/A

Tested: 08/10-22/05

Reported: 08/26/05

Sample Description: Water from 4800 Oak Grove Dr.

Project Description: G486090 JPL GW Mon-3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-8 05-03697-2	MW-16 05-03697-4
ALKALINITY	310.1	mg/L	2	158	96.9
BICARBONATE	310.1	mg/L	2	158	96.9
CARBONATE	310.1	mg/L	2	<2	<2
PH	150.1	pH unit	0.01	6.81	6.92
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	251	368
Dilution Factor				2.5	8
CHLORIDE	300.0	mg/L	0.2	13.0	26.6
NITRATE N	300.0	mg/L	0.04	1.2	15.4
SULFATE	300.0	mg/L	0.5	39.2	37.5

Component Analyzed	Method	Unit	PQL	Analysis Result	
				DUPE-7-3Q05 05-03697-1	MW-8 05-03697-2
CHROMIUM (VI)	7196	mg/L	0.01	0.014	<0.01
Dilution Factor				2	1
PERCHLORATE	314.0	µg/L	4	110	1.4J
Dilution Factor				1	1
CHROMIUM	200.8	µg/L	1	24.6	9.1
VOLATILE ORGANIC COMPOUNDS					
Dilution Factor				1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	1.1	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result	
				DUPE-7-3Q05 05-03697-1	MW-8 05-03697-2
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	5.1	< 0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-10 05-03697-3	MW-16 05-03697-4	TB-13-8/10/05 05-03697-5
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	0.014	<0.01	-
Dilution Factor				2	200	1
<b>PERCHLORATE</b>	314.0	µg/L	4	108	13,000	-
Dilution Factor				1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	25.4	38.0	-
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	0.5	11.2	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	1.2	9.7	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	2.6	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-10	MW-16	TB-13-8/10/05
				05-03697-3	05-03697-4	05-03697-5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	<0.5	1.3
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	5.3	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	4.9	2.6	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2,2-TRICHLORO-1,1,2,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,  
  
Dominic Lau  
Laboratory Director  
Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Avenue, Suite C-205.

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

# APCL Analytical Report

Service ID #: 801-053707

Collected by: MM

Collected on: 08/11/05

Received: 08/11/05

Extracted: N/A

Tested: 08/12-22/05

Reported: 08/25/05

Sample Description: Water

Project Description: G486090 JPL GW Mon-3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-8-3Q05	MW-5	MW-6	TB-14-8/11/05
				05-03707-1	05-03707-3	05-03707-4	05-03707-6
Dilution Factor				1	1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	< 4	< 4	3.0J	-
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	524.2	µg/L	10	< 10	< 10	< 10	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	0.7	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5



## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				DUPE-8-3Q05	MW-5	MW-6	TB-14-8/11/05
				05-03707-1	05-03707-3	05-03707-4	05-03707-6
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2	1.2	1.3
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	< 1	< 1	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	< 10	< 10	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	0.9	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	1.5	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2,3,3-HEXACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result	
				DUPE-8-3Q05	DUPE-9-3Q05
				05-03707-1	05-03707-2
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01
Dilution Factor				1	1
<b>CHROMIUM</b>	200.8	µg/L	1	6.2	6.9

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-5	MW-6	MW-15
				05-03707-3	05-03707-4	05-03707-5
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	6.4	13.8	9.9

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau

Laboratory Director

Applied P & CH Laboratories

## Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave., Ste C102.

San Diego CA 92110

Tel: (619) 726-7311 Fax: (619) 260-0882

Service ID #: 801-053729

Collected by: M. Mendoza

Collected on: 08/15/05

Received: 08/15/05

Extracted: N/A

Tested: 08/16/05

Reported: 08/16/05

Sample Description: Water from 9800 Oak Grove Dr.

Project Description: G486090 JPL GW Mon-3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result
				MW-17-4
				05-03729-1
PERCHLORATE	314.0	µg/L	4	< 4

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

† All results are reported on dry basis for soil samples.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau

Laboratory Director

Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Avenue, Suite C-205.

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

## APCL Analytical Report

Service ID #: 801-053730

Collected by: M. Mendoza

Collected on: 08/15/05

Received: 08/15/05

Extracted: N/A

Tested: 08/15-22/05

Reported: 08/25/05

Sample Description: Water from 4800 Oak Grove Dr. Pasadena

Project Description: G486090 JPL GW Mon-3Q05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				EB-12-8/15/05 05-03730-1	MW-17-2 05-03730-2	MW-17-3 05-03730-3	SB-1-3Q05 05-03730-5
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	< 4	9.7	76.4	< 4

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-12-8/15/05 05-03730-1	MW-17-2 05-03730-2	MW-17-3 05-03730-3
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	1	1.9	9.6	10.8
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	524.2	µg/L	10	8J	< 10	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	0.6	3.7
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	0.3J	1.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-12-8/15/05	MW-17-2	MW-17-3
				05-03730-1	05-03730-2	05-03730-3
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.4	1.2	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	1.4	1.8
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	0.4J

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-17-4 05-03730-4	SB-1-3Q05 05-03730-5	TB-15-8/15/05 05-03730-6
<b>CHROMIUM (VI)</b>	7196	mg/L	0.01	<0.01	<0.01	-
Dilution Factor				1	1	1
<b>CHROMIUM</b>	200.8	µg/L	1	6.1	2.3	-
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	4J	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-17-4	SB-1-3Q05	TB-15-8/15/05
				05-03730-4	05-03730-5	05-03730-6
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.4	1.3
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	0.4J	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2,3,3-HEPTACHLORO-1,2,3,4,5,6-HEXACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau

Laboratory Director

Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave., Suite C-205

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

Service ID #: 801-053799

Collected by: M. Woolfe

Collected on: 08/23/05

Received: 08/23/05

Extracted: 08/25/05

Tested: 08/30-31/05

Reported: 09/07/05

Sample Description: Water

Project Description: G486111-T3 3rd Quarter GW Sampling

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-3-1	MW-3-2
				05-03799-1	05-03799-2
Dilution Factor				1	1
N-NITROSO-DI-N-PROPYLAMINE	1625M	µg/L	0.002	<0.002	<0.002

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-3-3	MW-3-4	MW-3-5
				05-03799-3	05-03799-4	05-03799-5
Dilution Factor				1	1	1
N-NITROSO-DI-N-PROPYLAMINE	1625M	µg/L	0.002	<0.002	<0.002	<0.002

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

  
Dominic Lau

Laboratory Director

Applied P & CH Laboratories



# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave, Suite C-205.

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

Service ID #: 801-053890

Collected by: MM

Collected on: 09/02/05

Received: 09/02/05

Extracted: N/A

Tested: 09/02/05

Reported: 09/06/05

Sample Description: Water from 4800 Oak Grove Dr.

Project Description: G486090 JPL GW Mon 3Q05

### Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				DUPE-9A-3Q05 05-03890-1	MW-15 05-03890-2
Dilution Factor				1	1
PERCHLORATE	314.0	µg/L	4	1.1J	0.94J

Component Analyzed	Method	Unit	PQL	Analysis Result		
				DUPE-9A-3Q05 05-03890-1	MW-15 05-03890-2	TB-16-9/2/05 05-03890-3
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				DUPE-9A-3Q05 05-03890-1	MW-15 05-03890-2	TB-16-9/2/05 05-03890-3
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.3	1.4	1.4
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

  
Dominic Lau  
Laboratory Director  
Applied P & CH Laboratories

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Submitted to:

Battelle

Attention: David Conner

3990 Old Town Ave, Suite C-205

San Diego CA 92110

Tel: (619)726-7311 Fax: (619)260-0882

Service ID #: 801-053930

Collected by: MM

Collected on: 09/08-09/05

Received: 09/09/05

Extracted: N/A

Tested: 09/09-12/05

Reported: 09/12/05

Sample Description: Water from 4800 Oak Grove Dr., Pasadena.

Project Description: G486090 JPL GW Mon 3Q05

## Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-13-9/8/05 05-03930-1	EB-14-9/9/05 05-03930-2	MW-18-1 05-03930-7
Dilution Factor				1	1	1
<b>PERCHLORATE</b>	314.0	µg/L	4	< 4	< 4	< 4
<b>VOLATILE ORGANIC COMPOUNDS</b>						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	524.2	µg/L	10	< 10	10	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				EB-13-9/8/05	EB-14-9/9/05	MW-18-1
				05-03930-1	05-03930-2	05-03930-7
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	1.2	1.2
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

# Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-23-4	MW-24-4	TB-17-9/8/05	TB-18-9/9/05
				05-03930-14	05-03930-15	05-03930-16	05-03930-17
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	< 4	< 4	-	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	524.2	µg/L	10	< 10	< 10	< 10	< 10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5

## APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-23-4	MW-24-4	TB-17-9/8/05	TB-18-9/9/05
				05-03930-14	05-03930-15	05-03930-16	05-03930-17
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	1.2	< 0.5	1.3	1.3
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	< 1	< 1	< 1	< 1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	< 10	< 10	< 10	< 10
NAPHTHALENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
STYRENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
M/P-XYLENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				EB-13-9/8/05	EB-14-9/9/05	MW-12-4	MW-12-5
				05-03930-1	05-03930-2	05-03930-3	05-03930-4
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01
Dilution Factor				1	1	1	1
CHROMIUM	200.8	µg/L	1	0.27J	0.59J	10.1	9.9

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-14-4	MW-14-5	MW-18-1
				05-03930-5	05-03930-6	05-03930-7
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	1	9.8	7.6	8.2

Applied P & CH Laboratories

13760 Magnolia Ave., Chino, CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

# APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-18-5 05-03930-8	MW-19-1 05-03930-9	MW-19-2 05-03930-10
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	1	6.9	6.3	14.1

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-19-3 05-03930-11	MW-19-4 05-03930-12	MW-19-5 05-03930-13
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	1	9.8	10.1	9.0

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

  
Dominic Lau

Laboratory Director

Applied P & CH Laboratories